

### RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092 Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393 Website: www.raybiotech.com

Email: info@raybiotech.com

## Certificate of Analysis and Data Sheet

# Mouse Anti Human Cystatin C

With HRP-conjugated Secondary Antibody

Catalog No.Target SpeciesIsotypeDS-MB-01083HumanIgG1

## Description

**Description:** Mouse Anti Human Cystatin C. Cystatin C is an inhibitor of cysteine proteases including Cathepsins B, H, K, L and S, and is ubiquitous in human tissues and body fluids.

**Specificity:** DS-MB-01083 detects human Cystatin C, a member of the type 2 cystatin superfamily. Cystatin C is a potent inhibitor of cysteine proteinases, both endogenous (lysosomal cathepsines), and pathogenic. Cystatin C is a 13kDa secreted protein which is found in high concentrations in biological fluids and is thought to be expressed by all human nucleated cells.

Changes in cystatin C have been documented in a number of cardiovascular diseases, including atheroslcerosis, amyloid angiopathy and myocardial infarction. Its low molecular weight also means that cystatin C can be used as a marker of renal failure.

### **Formulation**

**Preparation:** Purified IgG prepared by affinity chromatography on Protein A

**Product Type:** Monoclonal Antibody **Product Form:** Purified IgG – liquid

**Buffer Solution:** Phosphate buffered saline pH7.4 **Preservative & Stabilizers:** 0.09% Sodium Azide (NaN<sub>3</sub>)

Fusion Partners: Spleen cells from immunized Balb/c mice were fused with cells of the Sp2/0

myeloma cell line.

**Approx. Protein Concentration:** IgG concentration 1.0 mg/ml

### Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

**Shelf Life:** 18 months from date of dispatch.

The products are furnished for LABORATORY RESEARCH USE ONLY.

Not for diagnostic or therapeutic use.



## RayBiotech, Inc.

3607 Parkway Lane suite 200 Norcross,GA 30092 Tel: 770-729-2992, 1-888-494-8555

Fax: 770-206-2393

Website: www.raybiotech.com Email: info@raybiotech.com

#### **Applications**

Table Summary of antibody applications and working conditions

Options Functions	YES	NO	Not determined	Recommended Work dilution or concentration
ELISA	•			
Western Blotting			•	
Immunohistology - frozen			•	
Immunohistology - paraffin			•	
Immunohistology - resin			•	
Immunoprecipitation			•	
Immunofluorence staining			•	
Immunoassay	•			

Note: Other applications are not tested yet. Optimal dilutions should be determined by each laboratory for each application.

## Secondary Antibody Applications

Options Functions	YES	NO	Not determined	Recommended Work dilution or concentration
Immunoassay (ELISA, Western blot)	•			1:5000-1:10000

#### References

1. Mussap, M. and Plebani, M. (2004) Biochemistry and clinical role of human cystatin C. Crit. Rev. Clin. Lab. Sci. 41: 467-550.